GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

EFS&T Department – Forest Reservation – SPSR Nellore District and Division – Atmakur Range - Declaration – Dubagunta Block-A to an extent of 60.76 Ha. or 150.13 Acres of Compensatory Afforestation land in Sy.No.325, 326 etc., of Dubagunta Village of Anumasamudrampeta Mandal in SPSR Nellore District as Protected Forest under section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967) – Notification – Orders – Issued.

ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY (Section.II) DEPARTMENT

G.O.Ms.No.27

Dated:12.05.2022
Read :-

From PCCF & HoFF, A.P., Lr.Rc.No.3562/2022/WLR-1, dt.13.04.2022.

***

ORDER:

The appended notification in English and Telugu versions, under section 24 of the Andhra Pradesh Forest Act, 1967, (Act No.1 of 1967) for reservation of Dubagunta Block-A in Sy.No.325, 326 etc., of Dubagunta Village of Anumasamudrampeta Mandal in SPSR Nellore District to an extent of 60.76 Ha. or 150.13 Acres of Compensatory Afforestation land, submitted by Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Guntur, in his letter read above, is approved and forwarded to the Commissioner of Printing, Stationery and Stores Purchase (Printing Wing), Andhra Pradesh, Vijayawada. He is requested to get the notification published both in English and Telugu in the next issue of the Andhra Pradesh Gazette and furnish Five (5) copies of the Gazette to the Government and Fifty (50) copies to the Principal Chief Conservator of Forests & Head of Forest Force, Andhra Pradesh, Guntur.

2. The District Collector, SPSR Nellore District, is requested to get the appended notification published in the District Gazette, after its publication in the Andhra Pradesh Gazette and on receipt of specific requisition from the District Forest Officer, SPSR Nellore District.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)
NEERABH KUMAR PRASAD
SPCIAL CHIEF SECRETARY TO GOVERNMENT

To
The Commissioner of Printing, Stationery and Stores Purchase (Printing),
Andhra Pradesh, Vijayawada (w.e.)
The District Collector, SPSR Nellore District (w.e)
The Principal Chief Conservator of Forests & HoFF,
Andhra Pradesh, Guntur (w.e)
The Chief Commissioner of Land Administration,
Gollapudi, Vijayawada (w.e)
Copy to:
The District Forest Officer, SPSR Nellore District (w.e)
The Law (G) Department
SF/SCs (Computer No.1697449)

// FORWARDED :: BY ORDER //

N. Jagadeeswari
SECTION OFFICER

NOTIFICATION

In exercise of the powers conferred by sub-section (1) of section 24 of the Andhra Pradesh Forest Act, (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare that the forest land described in the schedule below (delineated in the map kept in the Office of the Principal Chief Conservator of Forests, AP, Guntur) to be a "Protected Forest" with effect from the date of publication of this notification in the Andhra Pradesh Gazette.

SCHEDULE

Name of the District	:	SPSR Nellore
Name of the Division	:	Nellore
Name of the Range	:	Atmakur
Name of the Mandal	:	Anumasamudram Peta
Name of the Village	:	Dubagunta
Name of the Block proposed to be Protected Forest	:	Dubagunta Block "A"
Area of the Forest Block proposed to be Protected Forest	:	60.76 Ha. (or) 150.13 Ac.

Details of Areas included in the Block (Area Statement)

Sl. No.	Name of the Village	Sy. No.	Classification of the land	Total extent (in Ac.)	Area included in the Block (Ac. Cents)
(1)	(2)	(3)	(4)	(5)	(6)
1	Dubagunta	325	Patta	1.24	1.24
2	Dubagunta	326	Patta	49.22	21.63
3	Dubagunta	327-a/2	Patta	17.39	6.52
4	Dubagunta	329	Patta	6.66	6.66
5	Dubagunta	330	Patta	7.30	5.80
6	Dubagunta	331	Patta	12.16	12.16
7	Dubagunta	332	Patta	7.37	7.37
8	Dubagunta	334	Patta	11.50	11.50
9	Dubagunta	335	Patta	11.49	11.49
10	Dubagunta	336	Patta	6.64	6.64
11	Dubagunta	337	Patta	18.13	18.13
12	Dubagunta	338	Patta	5.30	5.30
13	Dubagunta	339	Patta	5.29	5.29
14	Dubagunta	340	Patta	1.67	1.00
15	Dubagunta	341	Patta	2.57	1.58
16	Dubagunta	342	Patta	1.13	1.13
17	Dubagunta	434	Patta	10.78	10.15
18	Dubagunta	437	Patta	5.95	1.04
19	Dubagunta	437-1			1.00
20	Dubagunta	437-2			1.00
21	Dubagunta	437-3			1.95
22	Dubagunta	438-2	Patta	6.70	0.60
23	Dubagunta	438-3			1.18
24	Dubagunta	439-3	Patta	18.92	2.91
25	Dubagunta	442-2	Patta	5.60	0.37
26	Dubagunta	445-3	Patta	13.06	6.49
Total:				**226.07**	**150.13 Ac. (or) 60.76 Ha.**

BOUNDARIES

NORTH: Starting from Station No. 1, which is located at Latitude of 14.75030 and Longitude of 79.58141 runs upto Station No. 3 which is located at Latitude 14.75098 and Longitude 79.58318 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below.

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
1	2	69°	86	1	14.75030	79.58141	Along the boundary of Sy. No.327-B
2	3	67°	119	2	14.75057	79.58216	
				3	14.75098	79.58318	

EAST: Starting from Station No. 3, which is located at Latitude of 14.75098 and Longitude of 79.58318 runs upto Station No. 25 which is located at Latitude 14.74114 and Longitude 79.59122 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
3	4	144°	97	3	14.75098	79.58318	Along the boundary of Dubagunta Rajavolu RF
4	5	211°	87	4	14.75027	79.58370	Along the boundary of Sy. No. 447
5	6	176°	181	5	14.74960	79.58330	
6	7	88°	100	6	14.74797	79.58342	
7	8	85°	104	7	14.74801	79.58435	
8	9	185°	131	8	14.74810	79.58531	Along the boundary of Dubagunta Rajavolu RF
9	10	185°	99	9	14.74693	79.58522	
10	11	186°	138	10	14.74604	79.58514	
11	12	102°	78	11	14.74481	79.58502	
12	13	193°	111	12	14.74466	79.58572	Along the boundary of Sy. No.333 (Chavuta Gunta Tank)
13	14	188°	92	13	14.74369	79.58550	
14	15	102°	60	14	14.74287	79.58537	
15	16	207°	24	15	14.74275	79.58592	
16	17	64°	31	16	14.74256	79.58582	
17	18	38°	87	17	14.74268	79.58608	
18	19	82°	65	18	14.74330	79.58657	Along the boundary of Sy. No.448
19	20	111°	85	19	14.74338	79.58717	Along the boundary of

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
20	21	109°	85	20	14.74310	79.58791	Dubagunta Rajavolu RF
21	22	168°	121	21	14.74285	79.58865	Along the boundary of Sy. No.449
22	23	103°	117	22	14.74179	79.58889	
23	24	80°	96	23	14.74155	79.58995	
24	25	145°	75	24	14.74170	79.59083	Along the boundary of Dubagunta Rajavolu RF
				25	14.74114	79.59122	

SOUTH: Starting from Station No. 25, which is located at Latitude of 14.74114 and Longitude 79.59122 runs upto Station No. 33 which is located at Latitude 14.73466 and Longitude 79.58527 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
25	26	231°	102	25	14.74114	79.59122	Along the boundary of Sy. No. 550 of Rajavolu (V)
26	27	229°	88	26	14.74056	79.59049	Along the boundary of Rajavolu (V) Sy. No. 146
27	28	209°	77	27	14.74004	79.58987	
28	29	212°	165	28	14.73944	79.58952	Along the boundary of Rajavolu (V) Sy. No. 145
29	30	211°	149	29	14.73819	79.58870	Along the boundary of Rajavolu (V) Sy. No. 142
30	31	212°	150	30	14.73705	79.58799	Along the boundary of Rajavolu (V) Sy. Nos. 141 & 140.
31	32	239°	146	31	14.73590	79.58726	Along the boundary of Sy. Nos. 443 (P) (Stream) & 442 (P).
32	33	235°	109	32	14.73523	79.58609	

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
				33	14.73466	79.58527	

WEST: Starting from Station No. 33, which is located at Latitude of 14.73466 and Longitude 79.58527 runs upto Station No. 51 which is located at Latitude 14.74976 and Longitude 79.58173 and then runs upto stations No. 1, the starting point which is located at Latitude of 14.75030 and Longitude of 79.58141 as per Magnetic bearings and distances and DGPS co-ordinates are as detailed below:

Compass Survey				DGPS co-ordinates			Remarks
Station No.		Magnetic bearings in Degrees	Distance in meters	Station No.	LAT (in degrees)	LON (in degrees)	
From	To						
33	34	346°	66	33	14.73466	79.58527	Along the boundary of Sy. Nos. 442 (P), 443 (P) (Stream), 445 (P), 446 (P) (Stream), 438 (P), 439 (P), 437 (P) & 436 (P) (Stream).
34	35	347°	99	34	14.73523	79.58512	
35	36	343°	103	35	14.73610	79.58492	
36	37	346°	99	36	14.73699	79.58464	
37	38	345°	103	37	14.73785	79.58442	
38	39	347°	92	38	14.73875	79.58418	
39	40	347°	127	39	14.73955	79.58399	Along the boundary of Sy. Nos. 433 (P) (Stream), 324 (P) & 434 (P).
40	41	345°	54	40	14.74066	79.58371	
41	42	352°	96	41	14.74114	79.58358	Along the boundary of Sy. Nos. 434 (P) & 326 (P).
42	43	343°	99	42	14.74199	79.58345	
43	44	346°	135	43	14.74284	79.58318	
44	45	346°	100	44	14.74402	79.58288	
45	46	351°	110	45	14.74489	79.58267	
46	47	342°	101	46	14.74586	79.58250	
47	48	346°	91	47	14.74673	79.58221	Along the boundary of Sy. No. 330 (P).
48	49	347°	100	48	14.74753	79.58201	Along the boundary of Sy. No. 327-A (P).
49	50	344°	28	49	14.74840	79.58180	
50	51	0°	125	50	14.74864	79.58173	Along the boundary of Sy. Nos. 327-A (P) & Sy. No. 250 and reaches starting point i.e. Station No. 1.
51	01	331°	69	51	14.74976	79.58173	
				1	14.75030	79.58141	

REMARKS

1). There are no enclosures to be admitted within the Block.

2). The following right of way/right of water course are admitted in each block:

3) Three streams are passing through forest block. The entry point and exit point of each steam through forest block are as follows:

Sl. No.	Stream	Northern co ordinates		Southern co ordinates	
		Latitude (in degrees)	Longitude (in degrees)	Latitude (in degrees)	Longitude (in degrees)
1	**1st stream**				
	Entry point	14.74091	79.58364	14.74048	79.58376
	Exit point	14.74030	17.58380	14.73939	79.58403
2	**2nd Stream**				
	Entry point	14.73691	79.58466	14.73650	79.58479
	Exit point	14.73661	79.58771	14.73634	79.58754
3	**3rd Stream**				
	Entry point	14.75590	79.58504	14.73491	79.58521
	Exit point	14.73589	79.58726	14.73550	79.58664

The above three streams as detailed above are excluded from Reservation.

4) In exercise of Powers conferred by the sub-section (1) of section 24 of the Andhra Pradesh Forest Act, 1967 (Act No.1 of 1967), the Government of Andhra Pradesh hereby declare that all kinds of trees and all classes of trees in the said **Dubagunta Block "A"** Protected Forest to be reserved from the date of publication of this notification in Andhra Pradesh Gazette and District Gazette.

5) And prohibits, except in accordance with the rules made down under this Act, from the date of aforesaid the quarrying, or the burning of line, or charcoal or the collection of subjection of any manufacturing process or removal of any forest produce in the said **Dubagunta Block "A"** Protected Forest and the breaking up or clearing for cultivation for building, for handing cattle or for any other purpose of the said **Dubagunta Block "A"** Protected Forest.

NEERABH KUMAR PRASAD
SPCIAL CHIEF SECRETARY TO GOVERNMENT
EFS&T DEPARTMENT

ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము1967 (1967లోని మొదటి చట్టం) లోని 24 వ విభాగం ద్వారా లభించిన అధికారాలను పురస్కరించుకొని, ఆంధ్రప్రదేశ్ ప్రభుత్వం ఈ క్రింది సూచికలో వివరించిన అటవీ భూమిని (ఆంధ్రప్రదేశ్ అటవీ ప్రధాన సంరక్షనాధికారి, గుంటూరు వారి కార్యాలయంలో ఉంచిన మ్యాపులో వర్ణించబడినది). ఈ ప్రకటనను ఆంధ్రప్రదేశ్ గెజిట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ఇందుమూలముగా ప్రకటిస్తున్నారు.

షెడ్యూలు

జిల్లా పేరు	:	శ్రీ పొట్టిశ్రీరాములు నెల్లూరు జిల్లా
ఆటవీ డివిజన్ పేరు	:	నెల్లూరు
రెవిన్యూ మండలం పేరు	:	అనుమ సముద్రం పేట
అటవీ రేంజి పేరు	:	ఆత్మకూరు
గ్రామమం పేరు	:	దూబగుంట
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు పేరు	:	దూబగుంట బ్లాకు "ఎ"
రక్షిత అడవిగా ప్రతిపాదించిన బ్లాకు విస్తీర్ణం	:	60.76 హెక్టేరులు లేదా ఎ 150.13 సెంట్లు

బ్లాకు నందు పొందు పరచబడిన ప్రదేశముల వివరములు

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
1	దూబగుంట	325	పట్టా	1.24	1.24
2	దూబగుంట	326	పట్టా	49.22	21.63
3	దూబగుంట	327-a/2	పట్టా	17.39	6.52
4	దూబగుంట	329	పట్టా	6.66	6.66
5	దూబగుంట	330	పట్టా	7.30	5.80
6	దూబగుంట	331	పట్టా	12.16	12.16
7	దూబగుంట	332	పట్టా	7.37	7.37

వరుస సంఖ్య.	గ్రామము	సర్వే నెంబరు	రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	బ్లాకు నందు పొందు పరచబడిన విస్తీర్ణం (ఎకరాలలో)
8	దూబగుంట	334	పట్టా	11.50	11.50
9	దూబగుంట	335	పట్టా	11.49	11.49
10	దూబగుంట	336	పట్టా	6.64	6.64
11	దూబగుంట	337	పట్టా	18.13	18.13
12	దూబగుంట	338	పట్టా	5.30	5.30
13	దూబగుంట	339	పట్టా	5.29	5.29
14	దూబగుంట	340	పట్టా	1.67	1.00
15	దూబగుంట	341	పట్టా	2.57	1.58
16	దూబగుంట	342	పట్టా	1.13	1.13
17	దూబగుంట	434	పట్టా	10.78	10.15
18	దూబగుంట	437	పట్టా	5.95	1.04
19	దూబగుంట	437-1			1.00
20	దూబగుంట	437-2			1.00
21	దూబగుంట	437-3			1.95
22	దూబగుంట	438-2	పట్టా	6.70	0.60
23	దూబగుంట	438-3			1.18
24	దూబగుంట	439-3	పట్టా	18.92	2.91
25	దూబగుంట	442-2	పట్టా	5.60	0.37
26	దూబగుంట	445-3	పట్టా	13.06	6.49
			మొత్తము	**226.07**	**ఎ 150.13 సెంట్లు లేదా 60.76 హెక్టేరులు**

సరిహద్దులు

ఉత్తరం: **లేటిట్యూడ్** 14.75030 మరియు **లాంగి ట్యూడ్** 79.58141 వద్ద వున్న స్టేషన్ నెం. 1 ప్రయాణించి **లేటిట్యూడ్** 14.75098 మరియు **లాంగి ట్యూడ్** 79.58318 వద్ద వున్న స్టేషన్ నెం. 3 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
1	2	69°	86	1	14.75030	79.58141	సర్వే నెంబరు-327-బి యొక్క బొండరీ వెంబడి వెళ్ళును
2	3	67°	119	2	14.75057	79.58216	
				3	14.75098	79.58318	

తూర్పు: **లేటిట్యూడ్** 14.75098 మరియు **లాంగి ట్యూడ్** 79.58318 వద్ద వున్న స్టేషన్ నెం. 3 ప్రయాణించి **లేటిట్యూడ్** 14.74114 మరియు **లాంగి ట్యూడ్** 79.59122 వద్ద వున్న స్టేషన్ నెం 25 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
3	4	144°	97	3	14.75098	79.58318	దూబగుంట-రాజవోలు రిజర్వు బొండరీ వెంబడి వెళ్ళును
4	5	211°	87	4	14.75027	79.58370	సర్వేనెంబరు -447 బొండరీ వెంబడి వెళ్ళును
5	6	176°	181	5	14.74960	79.58330	
6	7	88°	100	6	14.74797	79.58342	
7	8	85°	104	7	14.74801	79.58435	
8	9	185°	131	8	14.74810	79.58531	దూబగుంట-రాజవోలు రిజర్వు బొండరీ వెంబడి వెళ్ళును
9	10	185°	99	9	14.74693	79.58522	
10	11	186°	138	10	14.74604	79.58514	
11	12	102°	78	11	14.74481	79.58502	

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
12	13	193°	111	12	14.74466	79.58572	సర్వేనెంబరు -333 (చౌట గుంట ట్యాంక్) బౌండరీ వెంబడి వెళ్ళును
13	14	188°	92	13	14.74369	79.58550	
14	15	102°	60	14	14.74287	79.58537	
15	16	207°	24	15	14.74275	79.58592	
16	17	64°	31	16	14.74256	79.58582	
17	18	38°	87	17	14.74268	79.58608	
18	19	82°	65	18	14.74330	79.58657	సర్వేనెంబరు -448 బౌండరీ వెంబడి వెళ్ళును
19	20	111°	85	19	14.74338	79.58717	దూబగుంట-రాజవోలు రిజర్వు బౌండరీ వెంబడి వెళ్ళును
20	21	109°	85	20	14.74310	79.58791	
21	22	168°	121	21	14.74285	79.58865	సర్వేనెంబరు -449 బౌండరీ వెంబడి వెళ్ళును
22	23	103°	117	22	14.74179	79.58889	
23	24	80°	96	23	14.74155	79.58995	
24	25	145°	75	24	14.74170	79.59083	దూబగుంట-రాజవోలు రిజర్వు బౌండరీ వెంబడి వెళ్ళును
				25	14.74114	79.59122	

దక్షిణము : **లేటిట్యూడ్** 14.74114 మరియు **లాంగి ట్యూడ్** 79.59122 వద్ద వున్న స్టేషన్ నెం. 25 ప్రయాణించి **లేటిట్యూడ్** 14.73466 మరియు **లాంగి ట్యూడ్** 79.58527 వద్ద వున్న స్టేషన్ నెం 33 వరకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జీ.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జీ.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
25	26	231°	102	25	14.74114	79.59122	రాజవోలు గ్రామ సర్వేనెంబరు -550 బౌండరీ వెంబడి వెళ్ళును
26	27	229°	88	26	14.74056	79.59049	రాజవోలు గ్రామ సర్వేనెంబరు -146 బౌండరీ వెంబడి వెళ్ళును
27	28	209°	77	27	14.74004	79.58987	
28	29	212°	165	28	14.73944	79.58952	రాజవోలు గ్రామ సర్వేనెంబరు -145 బౌండరీ వెంబడి వెళ్ళును
29	30	211°	149	29	14.73819	79.58870	రాజవోలు గ్రామ సర్వేనెంబరు -142 బౌండరీ వెంబడి వెళ్ళును
30	31	212°	150	30	14.73705	79.58799	రాజవోలు గ్రామ సర్వేనెంబరు - 141,140 బౌండరీ వెంబడి వెళ్ళును
31	32	239°	146	31	14.73590	79.58726	రాజవోలు గ్రామ సర్వేనెంబరు -443 (పి) (వాగు) మరియు సర్వేనెంబరు -442 (పి) బౌండరీ వెంబడి వెళ్ళును
32	33	235°	109	32	14.73523	79.58609	
				33	14.73466	79.58527	

పడమర : **లేటిట్యూడ్** 14.73466 మరియు **లాంగి ట్యూడ్** 79.58527 వద్ద వున్న స్టేషన్ నెం. 33 ప్రయాణించి **లేటిట్యూడ్** 14.74976 మరియు **లాంగి ట్యూడ్** 79.58173 వద్ద వున్న స్టేషన్ నెం 51 వరకు మరియు **లేటిట్యూడ్** 14.75030 మరియు **లాంగి ట్యూడ్** 79.58141 వద్ద వున్న స్టేషన్ నెం 1 అనగా ప్రారంభ స్థానం నకు ఈ క్రింది మాగ్నెటిక్ బేరింగులు మరియు దూరముల మరియు డి. జి.పి.యస్. రీడింగులు ననుసరించి వెళ్ళును.

కాంపాస్ సర్వే				డి. జి.పి.యస్. రీడింగులు			రిమార్కులు
స్టేషస్ నెం.		మాగ్నెటిక్ బేరింగులు డిగ్రీలలో	దూరం మీటర్లలో	స్టేషస్ నెం.	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	
నుండి	వరకు						
33	34	346°	66	33	14.73466	79.58527	సర్వేనెంబరు -442(పి), 443 (పి) వాగు, 445 (పి) 446 (పి) వాగు, 438 (పి), 439 (పి) 437 (పి) మరియు 436 (పి) వాగు బొండరీ వెంబడి వెళ్ళును
34	35	347°	99	34	14.73523	79.58512	
35	36	343°	103	35	14.73610	79.58492	
36	37	346°	99	36	14.73699	79.58464	
37	38	345°	103	37	14.73785	79.58442	
38	39	347°	92	38	14.73875	79.58418	
39	40	347°	127	39	14.73955	79.58399	సర్వేనెంబరు -433 (పి) వాగు, 324 (పి) మరియు 434 (పి) బొండరీ వెంబడి వెళ్ళును
40	41	345°	54	40	14.74066	79.58371	
41	42	352°	96	41	14.74114	79.58358	సర్వేనెంబరు -434 (పి) మరియు 326 (పి) బొండరీ వెంబడి వెళ్ళును
42	43	343°	99	42	14.74199	79.58345	
43	44	346°	135	43	14.74284	79.58318	
44	45	346°	100	44	14.74402	79.58288	
45	46	351°	110	45	14.74489	79.58267	
46	47	342°	101	46	14.74586	79.58250	
47	48	346°	91	47	14.74673	79.58221	సర్వేనెంబరు -330 (పి) బొండరీ వెంబడి వెళ్ళును
48	49	347°	100	48	14.74753	79.58201	సర్వేనెంబరు -327 –ఎ (పి) బొండరీ వెంబడి వెళ్ళును
49	50	344°	28	49	14.74840	79.58180	
50	51	0°	125	50	14.74864	79.58173	సర్వేనెంబరు -327 –ఎ (పి), 250 బొండరీ వెంబడి వెళ్ళును మరియు ప్రారంభ స్థానమయిన **స్టేషస్ నెం.** 1 ని చేరును.
51	01	331°	69	51	14.74976	79.58173	
				1	14.75030	79.58141	

రిమార్కులు

1) అనుమతింప బడిన రైట్ ఆఫ్ వే (రహదారులు/బాటలు) లేవు.

2) ప్రవేశము మరియు నీటి వినియోగపు హక్కు ఈ బ్లాకు నందు అనుమతించబడలేదు.

3) మూడు వాగులు సదరు ఫారెస్ట్ బ్లాకు నందు వెళ్ళును. సదరు వాగుల ప్రవేశ స్థానం మరియు బయటకు వెళ్ళు స్థానంల యొక్క వివరములు ఈ క్రింది విధముగా ఇవ్వబడినవి.

వరుస సంఖ్య	వాగు	ఉత్తరపు కోఆర్డినేట్లు		దక్షిణపు కోఆర్డినేట్లు	
		లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)	లేటిట్యూడ్ (డిగ్రీలలో)	లాంగి ట్యూడ్ (డిగ్రీలలో)
1	**మొదటి వాగు**				
	ప్రవేశ స్థానం	14.74091	79.58364	14.74048	79.58376
	బయటకు వెళ్ళు స్థానం	14.74030	17.58380	14.73939	79.58403
2	**రెండవ వాగు**				
	ప్రవేశ స్థానం	14.73691	79.58466	14.73650	79.58479
	బయటకు వెళ్ళు స్థానం	14.73661	79.58771	14.73634	79.58754
3	**మూడవ వాగు**				
	ప్రవేశ స్థానం	14.75590	79.58504	14.73491	79.58521
	బయటకు వెళ్ళు స్థానం	14.73589	79.58726	14.73550	79.58664

సదరు మూడు వాగులు ఫారెస్టు బ్లాకు యొక్క రిజర్వేషన్ నుండి మినహాయించడ మయినది.

4) అటవీ చట్టము- 1967 (1967లోని మొదటి చట్టం) లోని 26వ విభాగం, మొదటి సబ్ విభాగం ద్వారా సంక్రమించిన అధికారాలను పురస్కరించుకుని ప్రతిపాదిత దుబగుంట "ఎ" బ్లాకు రక్షిత అడవి నుండి అన్ని రకముల మరియు జాతుల చెట్లను, ఈ ప్రకటనను ఆంధ్ర ప్రదేశ్ గజెట్ లో ప్రచురించిన తేది నుండి రక్షిత అడవిగా ప్రకటిస్తున్నారు.

5) మరియు రాళ్ళు క్వారీ చేయడం, సున్నం లేదా బొగ్గు కాల్చడం లేదా తయారీ పద్ధతులకు సంబంధించిన బ్రేకింగ్ గాని, క్లియర్ చేయడం గాని, కట్టడాలు గాని, పశువులు మేపుట గాని మరియు ఏ ఇతర పనులు గాని, సదరు చట్టం లోని నియమాల ప్రకారం తప్ప, దుబగుంట "ఎ" బ్లాకు రక్షిత అడవి నందు ఇందుమూలముగా నిషేదించడమయినది.